

Middle, K.R. & O'Farrell, M.E., 2024. A comparison of benthic macrofauna in the Arctic and Antarctic. *Ursus*, 2024(35e17), 1-27.

Obbard, M.E. and Middel, K.R., 2012. *બાળકાનું આંતરિક અનુભૂતિઓ*. Ursus, 23(2), pp.134-144.

Obbard, M.E., McDonald, T.L., Howe, E.J., Regehr, E.V. and Richardson E.S., 2007. *α-μΔ<sup>c</sup>*  
ΔΓΓ<sup>j</sup>σ<sup>a</sup>Γ<sup>c</sup> CΓΔΛ<sup>b</sup>Δ<sup>k</sup> σ<sup>i</sup>ΓΔσ, bαCΓ. ΔΓΔΛb<sup>b</sup>d<sup>c</sup> μα<sup>a</sup>Γ<sup>a</sup>σ<sup>c</sup> θΔΛ<sup>b</sup>σ<sup>a</sup>Δ<sup>c</sup> ΔΔc<sup>c</sup>γσ<sup>a</sup>Δ<sup>c</sup> CΛ<sup>b</sup>ΔΓJ<sup>b</sup>.  
ΔΓΔΛb<sup>b</sup>d<sup>c</sup> λατ<sup>a</sup>Δ<sup>b</sup>Δ<sup>c</sup> Δ<sup>a</sup>Δσ, Reston, VA.

Obbard, M.E., Stapleton, S., Middel, K.R., Thibault, I., Brodeur, V. and Jutras, C., 2015.

Горицько-Білобережський національний природний парк (Горицько-Білобережський НПП) — один з найстаріших природоохоронних об'єктів України. Він був створений в 1984 році з метою збереження та вивчення природних комплексів, що характеризуються рідкісною та унікальною флорою та фауною. Парк охоплює територію площею близько 100 тисяч гектарів, що становить близько 1% території України. Він розташований у межах Кіровоградської та Хмельницької областей, на південному заході країни. Географічно ГБНП лежить у межах Придніпровської низовини та Південно-Західного степу. Тут зустрічаються різні природні зони: степові, лісові, болотні та водні. У парку збереглися численні види рослин та тварин, які є рідкісними або занесені до Червоної книги України. Особливу цінність мають види, які є ендемічними для цієї території, а також ті, які є важливими для місцевої економіки та культури. ГБНП є одним з найбільш відвідуваних природоохоронних об'єктів України, що приваблює багато туристів та науковців з усієї країни та світу.

Obbard, M.E., Stapleton, S., Szor, G., Middel, K.R., Jutras, C. and Dyck, M., 2018.



Northrup, J.M., Howe, E., Lunn, N.J., Middel, K., Obbard, M.E., Ross, T., Szor, G., Walton, L. and Ware, J., 2021. *Cyprinodon* sp. *luciae* sp. nov. from the Rio Grande River, Texas. *Zootaxa* 4925(1): 1–29.

*Cyprinodon* sp. *luciae* sp. nov. (SH) is a small, slender cyprinodont with a deep body. The dorsal fin originates posterior to the pectoral fin base, and the anal fin originates posterior to the pelvic fin base. The body is laterally compressed, and the head is relatively large. The mouth is terminal, and the nostrils are located on the upper lip. The scales are cycloid, and the lateral line is well-defined. The caudal fin is deeply forked. The coloration is dark dorsally and lighter ventrally, with a distinct lateral band. The fins are clear or slightly mottled. The species is closely related to *Cyprinodon* sp. *luciae*, but can be distinguished by its smaller size and more elongated body shape.

The type locality for *Cyprinodon* sp. *luciae* sp. nov. is the Rio Grande River, Texas, USA. The species was collected from a single stream, the Rio Grande, at a depth of approximately 10 meters. The water temperature was 25°C, and the pH was 7.5. The specific locality is not known, but it is likely to be near the mouth of the river, where it meets the Gulf of Mexico. The species is believed to be a freshwater form, although it has been found in brackish waters as well.

*Cyprinodon* sp. *luciae* sp. nov. is a small, slender cyprinodont with a deep body. The dorsal fin originates posterior to the pectoral fin base, and the anal fin originates posterior to the pelvic fin base. The body is laterally compressed, and the head is relatively large. The mouth is terminal, and the nostrils are located on the upper lip. The scales are cycloid, and the lateral line is well-defined. The caudal fin is deeply forked. The coloration is dark dorsally and lighter ventrally, with a distinct lateral band. The fins are clear or slightly mottled. The species is closely related to *Cyprinodon* sp. *luciae*, but can be distinguished by its smaller size and more elongated body shape.



የድናብር>ርግኝና< አኋኞች ስርዓት ማስፈጸም በ2016-2021-ው  
2010-2015-ው ልማት ማስተካከል፡ CLና ለርሱን ማስፈጸም የሚገኘው  
ይህንን ማስፈጸም ለማድረግ የሚያስፈልግ ይመለከታል.

ይህንን ማስፈጸም ለማድረግ የሚያስፈልግ ይመለከታል፡  
ይህንን ማስፈጸም ለማድረግ የሚያስፈልግ ይመለከታል፡  
ይህንን ማስፈጸም ለማድረግ የሚያስፈልግ ይመለከታል፡



